



TOTEM



High Performance Cutting Tools

PRICE LIST

EFFECTIVE 08.01.2024



CARBON STEEL CUT THREADS TAPS



Forbes & Company Limited

ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

Size MM	Std Pitch	Each ₹
2.0	0.4	122
2.2	0.5	122
2.3	0.4	122
2.5	0.5	122
2.6	0.5	122
3.0	0.5	87
3.5	0.6	87
4.0	0.7	87
4.5	0.8	87
5.0	0.8	87
5.5	0.9	87
6.0	1.0	90
7.0	1.0	104
8.0	1.3	104
9.0	1.3	139
10.0	1.5	139
11.0	1.5	191
12.0	1.8	203
14.0	2.0	293
16.0	2.0	310
18.0	2.5	435
20.0	2.5	525
22.0	2.5	618
24.0	3.0	716
27.0	3.0	1348
30.0	3.5	1499
33.0	3.5	1948
36.0	4.0	2012
LEFT HAND TAPS		
6.0	1.00	122
8.0	1.25	141
10.0	1.50	189
12.0	1.75	273

ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

Size MM	Fine Pitch	Each ₹
3.0	0.60	89
4.0	0.50, 0.75	89
4.5	0.50	95
5.0	0.50, 0.90	95
6.0	0.75	97
7.0	0.75	113
8.0	0.75, 1.00	113
9.0	1.00	144
10.0	0.75, 1.00, 1.25	144
11.0	1.00	202
12.0	1.00, 1.25, 1.50	212
13.0	1.75	310
14.0	1.00, 1.25, 1.50	310
15.0	1.00	321
16.0	1.00, 1.50	321
18.0	1.00, 1.25, 1.50, 2.00	438
20.0	1.00, 1.50, 2.00	552
22.0	1.00, 1.50, 2.00	636
24.0	1.50, 2.00	748
25.0	1.50, 2.00	903
27.0	1.50	1486
30.0	1.5, 2.0	1683
32.0	1.50	1724
33.0	1.50	2173
36.0	1.50	2262

Size INCH	BSCYCLE Each ₹	BSCON Each ₹
3/16	122	-
1/4	129	-
*9/16	226	-
1/2	-	210
5/8	-	305
3/4	-	438
1"	-	802

* AVAILABLE IN LEFT HAND ALSO

ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

Size INCH	BSW Each ₹	BSF Each ₹	UNC / UNF Each ₹	BSP Each ₹	Size MM	STD. Pitch Each ₹	Fine Pitch Each ₹
1.5/8"	2225	2225	2447		39X4	2212	-
1.3/4"	2468	2468	2715	4059	39X1.5, 3.0	-	-
2"	2888	2888	3176	4934	42X4.5	2301	-
					42X1.5	-	2586
					45X4.5	2468	-
					45X1.5	-	2777
					48X5	2777	-
					48X1.5	-	3114
					52X5	3003	-
					52X1.5	-	3379

Carbon Steel Cut Threads Taps



ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

Size INCH	BSW Each ₹	BSF Each ₹	UNC Each ₹	UNF Each ₹	BSB Each ₹	ME Each ₹	BSP Each ₹	NPT / BSPT Each ₹
1/16"	166	-	-	-	-	-	-	-
3/32"	149	-	-	-	-	-	-	-
1/8"	87	87	-	-	-	87	129	184
5/32"	87	87	-	-	-	87	-	-
3/16"	82	82	-	-	-	83	-	-
7/32"	90	90	-	-	-	90	-	-
1/4"	90	90	90	90	90	90	187	264
9/32"	104	104	-	-	-	108	-	-
5/16"	104	104	108	108	108	108	-	-
3/8"	137	137	141	141	141	141	293	390
7/16"	173	173	179	179	179	-	-	-
1/2"	203	203	211	212	211	-	460	586
9/16"	298	298	300	300	300	-	-	-
5/8"	298	298	300	300	300	-	578	674
11/16"	390	390	394	394	-	-	-	-
3/4"	429	429	436	436	436	-	654	891
13/16"	525	525	-	-	-	-	-	-
7/8"	618	618	625	625	-	-	883	-
15/16"	828	828	-	-	-	-	-	-
1"	828	828	831	831	-	-	1331	1618
1.1/8"	1400	1400	1400	1400	-	-	1657	-
1.1/4"	1575	1575	1575	1575	-	-	2332	2903
1.3/8"	1791	1791	1805	1805	-	-	3104	-
1.1/2"	2012	2012	2026	2026	-	-	3354	4789

ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

(U) NS INCH	Each ₹
1/8 X 40	87
5/32 X 32, 36	87
3/16 X 24, 32	83
7/32 X 24, 32	90
1/4 X 24, 32	90
11/16 X 11, 16	394
1" X 14, 20	839

ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

WF INCH	Each ₹
11/64 X 40, 48	93
3/16 X 28	95
13/64 X 24, 36	93
15/64 X 28, 40	93
1/4 X 32	94
9/32 X 40	111
5/16 X 30, 40	109
3/8 X 40	139
7/16 X 32, 40	186
1/2 X 32, 40	214

ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

Size MM	BA Each ₹	UNC / UNF Each ₹
0	90	-
1	90	-
2	90	135
3	89	135
4	89	89
5	89	89
6	89	89
7	138	-
8	138	89
9	166	-
10	166	86
11	212	-
12	212	102

Terms and conditions

1. This price list supercedes all our previous price lists.
2. Prices are exclusive of GST rate.
3. This prices quoted in this price list are the maximum retail prices and Dealers / Stockist are free to sell goods at prices lower than the prices fixed by the company.
4. Prices are subject to revision without prior notice.
5. For LH Thread - 35% add to std. price.
6. All legal proceeding are subjected to Mumbai jurisdiction.



High Performance Cutting Tools

HEAD OFFICE

Forbes & Company Limited

Forbes Building, Charanjit Rai Marg, Fort, Mumbai 400 001 | **Telephone:** +91 (0) 22 61358958 | **Email:** sales@forbes.co.in

DIVISIONAL SALES OFFICES ADDRESS / PH. NO.

AHMEDABAD

1st Floor, Pranvijay Building,
Opp. Bata Showroom, Near Times Of India,
Ashram Road, Ahmedabad - 380009
Telephone: +91 (0) 79 26587769, 079-26580741
Fax: 079-26584618

BENGALURU

Classic Building, 3rd Floor, 24 Richmond Road
Bengaluru - 560025
Telephone: +91 (0) 80 43230129
Fax: +91 (0) 80 43230110

CHENNAI

Catholic Centre, 1st Floor,
108, Armenian Street,
Chennai - 600001
Telephone: +91 (0) 44 25389890/95,
Fax: +91 (0) 44 25360872

NEW DELHI

8F, 8th Floor, Vandana Building,
Tolstoy Marg, New Delhi -110001
Telephone: +91 (0) 11 43000120/107

KOLKATA

222, Circular Mansion, 1st Floor,
A.J.C. Bose Road,
Kolkata-700 017
Mobile: +91 (0) 70 91193999

MUMBAI

Forbes Building, Charanjit Rai Marg,
Fort, Mumbai 400 001
Telephone: +91 (0) 22 69402500

PUNE

H.No.1195/5, Bhosale Heights, 4th Floor,
Opp. Deendayal Hospital, Fergusson College Road,
Pune 411005
Telephone: +91 (0) 20 48509111

CHHATRAPATI SAMBHAJINAGAR

B 13, Waluj MIDC,
Chhatrapati Sambhajnagar - 431133
Telephone: +91 (0) 240 2553422




TOTEM



High Performance Cutting Tools

PRICE LIST

EFFECTIVE 08.01.2024




DIES & DIE NUTS



Forbes & Company Limited

Hints on use of circular dies

- Always ensure the die is presented to the bolt squarely, and is concentric, if this is not correct the die will not cut evenly on all lands.
- When adjusting a split die, try to avoid opening it out excessively, as it tends to rubbing or breakage.
- When closing in, do not apply all the pressure on one position but keep it even. Dies will cut satisfactorily provided adjustment is kept in the range of approximately 0.4 mm
- Thread tearing and teeth chipping are due to incorrect sharpening of lands or due to causing the die to hit the shoulder.
- Before starting a die always chamfer the end of the bolt at around 45° to allow the die to start cutting gently, failure to do this throws a sudden jerk on to the cutting edge, causing chipping.
- The size of the bolt to be threaded should be basic size, as an oversize material will put an extra load on the die whilst cutting.
- Whenever dies are used on machine it is recommended to use ground thread dies.
- When the die is to be used on machine without lead screw feed, ensure that the die will be able to advance in to the hole freely. This ensures that it will cut its own correct pitch.
- Efficient threading using die has its optimum speed. Always start with lower speeds and increase slowly if work permits.
- First class threading can only be done with copious supply of proper lubricant. Use of lubricant is as important as its choice. Choose suitable lubricant.



High Speed Steel Cut Thread Circular Split Dies



ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

OD INCH	SIZE INCH	Each (₹)								
		BSW	BSF	UNF/ UNC	BSB	BSCYCLE	ME	BSP	BSCON	BA
13/16"	0	-	-		-	-	-	-	-	393
	1	-	-		-	-	-	-	-	393
	2	-	-		-	-	-	-	-	393
	3	-	-	449	-	-	-	-	-	393
	4	-	-	449	-	-	-	-	-	393
	5	-	-	449	-	-	-	-	-	393
	6	-	-	449	-	-	-	-	-	393
	7	-	-		-	-	-	-	-	449
	8	-	-	449	-	-	-	-	-	449
	9	-	-		-	-	-	-	-	579
	10	-	-	449	-	-	-	-	-	579
	11	-	-		-	-	-	-	-	579
	12	-	-	449	-	-	-	-	-	579
	1/16	579	-		-	-	-	-	-	-
	3/32	449	-		-	-	-	-	-	-
	1/8	393	-		-	-	393	-	-	-
	5/32	393	-		-	-	393	-	-	-
	3/16	393	393		-	-	393	-	-	-
	7/32	393	393		-	-	393	-	-	-
	1/4	393	393	393	393	-	393	-	393	-
1"	1/8					-		559	-	-
	1/4	559	559	559	559	559	559	-	-	-
	9/32	559	559				559	-	-	-
	5/16	559	559	559	559	559	559	-	-	-
	3/8	559	559	559	559	559	559	-	-	-
	0.308 X 30				-	559		-	-	-

ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

OD INCH	SIZE INCH	Each (₹)					
		BSW	BSF	UNF	UNC	BSP	BSCON
1.1/2"	1/4	-	-	-	-	931	
	3/8	-	-	-	-	931	
	7/16	931	931	931	931		
	1/2	931	931	931	931	931	931
	9/16	931	931	931	931		
	5/8	931	931	931	931		931
	11/16	931					
	3/4	931	931	931	931		931
2"	1/2					1483	
	5/8					1483	
	3/4					1483	
	7/8	1483	1483	1483	1483	1483	
	1"	1483	1483	1483	1483	1483	
2.1/4"	7/8					1885	
	1.1/8	1958	1958	1958	1958		
	1.1/4	1958	1958	1958	1958		
2.1/2"	1.1/8					3079	
	1.1/4	3079				3079	
	1.3/8	3079	3079	3079	3079		
	1.1/2	3079	3079	3079	3079		
3"	1.1/4					4347	
	1.1/2	4347	4347	4347	4347		4347
4"	1.3/8					6065	
	1.1/2					6065	
	1.3/4	6065	6065	6065	6065	6065	
	2"	6065	6065	6065	6065	6065	

MOQ Matrix	
OD	QTY
2.1/4"	5
2.1/2"	5
3"	3
4"	3

High Speed Steel Cut Thread Circular Split Dies



ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

OD INCH	SIZE MM	Each ₹	OD INCH	SIZE MM	Each ₹	OD INCH	SIZE MM	Each ₹
13/16"	1.6 X 0.35	579	1"	6 X 0.5	598	1.1/2"	11 X 1.0	931
	2 X 0.4	449		6 X 0.75	598		11 X 1.5	931
	2.2 X 0.45	449		6 X 1	559		12 X 1	931
	2.3 X 0.4	449		7 X 0.75	598		12 X 1.25	931
	2.5 X 0.45	449		7 X 1	559		12 X 1.5	931
	2.6 X 0.45	449		8 X 0.75	598		12 X 1.75	931
	3 X 0.35, 0.60	449		8 X 1.0	598		14 X 1	931
	3 X 0.5	393		8 X 1.25	559		14 X 1.25	931
	3.5 X 0.6	393		9 X 0.75	598		14 X 1.5	931
	4 X 0.35, 0.50	449		9 X 1.0	598		14 X 2.0	931
	4 X 0.7	393		9 X 1.25	559		15 X 1.5	931
	4 X 0.75	449		10 X 0.5	598		16 X 1	931
	4.5 X 0.5	449		10 X 0.75	598		16 X 1.5	931
	4.5 X 0.75	449		10 X 1.25	598		16 X 2.0	931
	5 X 0.8	393		10 X 1.5	559		18 X 1.5	931
	5 X 0.9	449		-			18 X 2.5	931
	5.5 X 0.75	449		-			20 X 1.5	931
	5.5 X 0.5, 0.9	449		-			20 X 2.5	931
	6 X 0.5, 0.75	449		-			-	
	6 X 1	393		-			-	
	7 X 0.75	449		-			-	
	7 X 1	449		-			-	
2"	22 X 1.5	1483	2.1/4"	27 X 1.5, 3.0	1958	2.1/2"	34 X 1.5	3079
	22 X 2.5	1483		28 X 1.5	1958		35 X 1.5	3079
	24 X 1, 1.5, 3	1483		30 X 1.5, 3.5	1958		36 X 1.5	3079
	25 X 1.5	1483		32 X 1.5	1958		36 X 4.0	3079
	26 X 1.5	1483		33 X 1.5	1958		40 X 1.5	3079
	-			33 X 3.5	1958		-	-
3"	34 X 1.5	4347	4"	45 X 1.5	6065		-	-
	35 X 1.5	4347		46 X 1.5	6065		-	-
	36 X 1.5, 4.0	4347		48 X 1.5, 5.0	6065		-	-
	38 X 1.5	4347		50 X 1.5	6065		-	-
	39 X 4	4347		52 X 1.5	6065		-	-
	42 X 4.5	4347		55 X 1.5	6065		-	-
	45 X 1.5	4347		60 X 1.5	6065		-	-

ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

OD INCH	SIZE INCH	Each (₹)								
		BSW	BSF	UNF/UNC	BSB	BSCYCLE	ME	BSP	BA	WF
13/16"	0	-	-	-	-	-	-	-	109	-
	1	-	-	-	-	-	-	-	109	-
	2	-	-	-	-	-	-	-	109	-
	3	-	-	109	-	-	-	-	109	-
	4	-	-	109	-	-	-	-	109	-
	5	-	-	109	-	-	-	-	109	-
	6	-	-	109	-	-	-	-	109	-
	7	-	-		-	-	-	-	157	-
	8	-	-	109	-	-	-	-	157	-
	9	-	-		-	-	-	-	186	-
	10	-	-	109	-	-	-	-	186	-
	11	-	-		-	-	-	-	265	-
	12	-	-	109	-	-	-	-	265	-
	11/64 X 40, 48	-	-		-	-	-	-		109
	13/64 X 24, 36	-	-		-	-	-	-		109
	3/16 X 28	-	-		-	-	-	-		109
	15/64 X 28, 40	-	-		-	-	-	-		109
	1/4X32	-	-		-	-	-	-		109
	1/16	265	-		-	-	-	-		
	3/32	157	-		-	-	-	-		
	1/8	109	-		-	-	109	-		
	5/32	109	-		-	-	109	-		
	3/16	109	109		-	109	109	-		
	7/32	109	109		-		109	-		
	1/4	109	109	109	109	109	109	-		
1"	5/16 X 30, 40				-			-		171
	3/8 X 40				-			-		171
	1/8				-			171		
	1/4	171	171	171	-		171	-		
	9/32	171	171		-		171	-		
	5/16	171	171	171	-		171	-		
	3/8	171	171	171	-		171	-		
	0.308 X 30				-	171		-		

Carbon Steel Cut Thread Circular Split Dies



ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

OD INCH	SIZE INCH	Each (₹)							
		BSW	BSF	UNF / UNC	BSB	BSCYLE	BSP	BSCON	WF
1.1/2"	7/16 X 32, 40	-	-	-	-	-			361
	1/2 X 32, 40	-	-	-	-	-			361
	1/4	-	-	-	-	-	361		
	3/8	-	-	-	-	-	361		
	7/16	361	361	361	-	-			
	1/2	361	361	361	-	-	361	361	
	9/16	361	361	361	361	361			
	5/8	361	361	361	-	-		361	
	11/16	361	361		-	-			
	3/4	361	361	361	-	-		361	
2"	1/2				-	-	552		
	5/8				-	-	552		
	3/4				-	-	552		
	7/8	552	552	552	-	-	552		
	1"	552	552	552	-	-	552	552	
2.1/4"	1.1/8	1117	1117	1117	-	-			
	1.1/4	1117	1117	1117	-	-			
2.1/2"	1.1/8				-	-	1575		
	1.1/4				-	-	1575		
	1.3/8	1575	1575	1575	-	-			
	1.1/2	1575	1575	1575	-	-			
3"	1.1/4				-	-	1776	1776	
	1.1/2	1776	1776	1776	-	-			
4"	1.3/8				-	-	2609		
	1.1/2				-	-	2609		
	1.3/4	2609	2609	2609	-	-	2609		
	2"	2609	2609	2609	-	-	2609		

MOQ Matrix	
OD	QTY
2.1/4"	5
2.1/2"	5
3"	3
4"	3

ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

OD INCH	SIZE MM	Each ₹	OD INCH	SIZE MM	Each ₹	OD INCH	SIZE MM	Each ₹
13/16"	1.6 X 0.35	265	1"	6 X 0.5	171	1.1/2"	11 X 1.0, 1.5	361
	2 X 0.4	157		6 X 0.75	171		12 X 1, 1.25	361
	2.2 X 0.45	157		6 X 1	171		12 X 1.5	361
	2.3 X 0.4	157		7 X 0.75	171		12 X 1.75	361
	2.5 X 0.45	157		7 X 1	171		14 X 1, 1.25	361
	2.6 X 0.45	157		8 X 0.75	171		14 X 1.5	361
	3 X 0.5	109		8 X 1.0	171		14 X 2	361
	3.5 X 0.6	109		8 X 1.25	171		15 X 1.0	361
	4 X 0.35, 0.75	109		9 X 0.75	171		15 X 1.5	361
	4 X 0.7	109		9 X 1.0	171		16 X 1.0	361
	4.5 X 0.5	109		9 X 1.25	171		16 X 1.5	361
	4.5 X 0.75	109		10 X 0.75	171		16 X 2	361
	5 X 0.5, 0.75, 0.90	109		10 X 1.0	171		18 X 1.0	361
	5 X 0.8	109		10 X 1.25	171		18 X 1.5	361
	5.5 X 0.5, 0.90	109		10 X 1.5	171		18 X 2.0	361
	6 X 0.5, 0.75	109		-			18 X 2.5	361
	6 X 1	109		-			20 X 1.5	361
	7 X 0.75	109		-			20 X 2.5	361
	7 X 1	109		-			-	
2"	20 X 1.5, 2.5	552	2.1/4"	27 X 1.5, 3.0	1117	2.1/2"	34 X 1.5	1575
	22 X 1.5, 2.5	552		28 X 1.5	1117		35 X 1.5	1575
	24 X 1.5	552		30 X 1.5, 3.5	1117		36 X 1.5	1575
	24 X 3	552		32 X 1.5	1117		36 X 4.0	1575
	25 X 1.5	552		33 X 1.5	1117		40 X 1.5	1575
	26 X 1.5	552		33 X 3.5	1117		-	
3"	34 X 1.5	1776	4"	45 X 1.5	2609		-	
	35 X 1.5	1776		46 X 1.5	2609		-	
	36 X 1.5, 4.0	1776		48 X 1.5, 5.0	2609		-	
	38 X 1.5	1776		50 X 1.5	2609		-	
	39 X 4	1776		52 X 1.5	2609		-	
	42 X 4.5	1776		55 X 1.5	2609		-	
	45 X 1.5	1776		60 X 1.5	2609		-	

MOQ Matrix	
OD	QTY
2.1/4"	5
2.1/2"	5
3"	3
4"	3

High Speed Steel

ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

SIZE INCH	OD INCH					
	1" Each ₹	1.1/2" Each ₹	2" Each ₹	2.1/2" Each ₹	3" Each ₹	4" Each ₹
1/8"	872	930		-	-	-
1/4"	-	1040	-	-	-	-
3/8"	-	1221	1486	-	-	-
1/2"	-	-	1980	-	-	-
3/4"	-	-	2065	3658	-	-
1"	-	-		4129	4800	-
1.1/4"	-	-	-	-	5613	6743
1.1/2"	-	-	-	-	-	7208
2"	-	-	-	-	-	-

Carbon Steel

ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

SIZE INCH	OD INCH					
	1" Each ₹	1.1/2" Each ₹	2" Each ₹	2.1/2" Each ₹	3" Each ₹	4" Each ₹
1/8"	471	599	-	-	-	-
1/4"	-	761	-	-	-	-
3/8"	-	797	1032	-	-	-
1/2"	-	-	1142	-	-	-
3/4"	-	-	1486	1885	-	-
1"	-	-	-	2082	2319	-
1.1/4"	-	-	-	-	2790	-
1.1/2"	-	-	-	-	-	3369
2"	-	-	-	-	-	3985

MOQ Matrix

OD	QTY
1"	10
1.1/2"	10
2"	5
2.1/2"	5
3"	3
4"	3

High Speed Steel Dies Nuts

ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

Across Flat	BSW/BSF/UNC/UNF	BSP	METRIC MM	Each ₹
0.71	1/8" to 1/4"	-	3 to 6	366
0.82	5/16"	-	7 to 8	435
0.92	3/8"	1/8"	9 to 10	467
1.01	7/16"	-	11	640
1.10	1/2"	1/4"	12 to 13	710
1.30	9/16", 5/8"	3/8"	14 to 16	901
1.48	11/16", 3/4"	-	18 to 20	1072
1.67	7/8"	1/2", 5/8"	21 to 22	1455
2.05	1"	3/4"	24 to 26	2253

Carbon Steel Dies Nuts

ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

Across Flat	BSW/BSF/UNC/UNF	BSP	METRIC MM	Each ₹
0.71	1/8" to 1/4"	-	3 to 6	139
0.82	5/16"	-	7 to 8	150
0.92	3/8"	1/8"	9 to 10	165
1.01	7/16"	-	11	312
1.10	1/2"	1/4"	12 to 13	399
1.30	9/16", 5/8"	3/8"	14 to 16	435
1.48	11/16", 3/4"	-	18 to 20	484
1.67	7/8"	1/2", 5/8"	21 to 22	640
2.05	1"	3/4"	24 to 26	868

High Speed Steel Ground Thread Dies



ALL RATES ARE IN RUPEES PER PIECE (Excl. of GST)

OD x THICKNESS	SIZE	Each ₹	OD x THICKNESS	SIZE	Each ₹
16 X 5	1.6 X 0.35	1061	30 X 11	10.0 X 1.00	1099
			-	10.0 X 1.25	1099
20 X 5	1.6X0.35	1061		10.0 X 1.50	1099
	2.0 X 0.40	821	-	-	
	2.5 X 0.45	821	38 X 10	12.0 X 1.00	1690
	2.6 X 0.45	821	-	12.0 X 1.25	1690
	3.0X0.50	714	-	12.0 X 1.5	1690
	4.0 X 0.70	714	-	14.0 X 1.00	1690
			-	14.0 X 1.25	1690
20 X 7	5.0 X 0.80	714	-	14.0 X 1.5	1690
	6.0 X 1.00	714	-	-	
			38 X 14	12.0 X 1.75	1690
25 X 9	7.0 X 1.00	1047	-	14.0 X 2.00	1690
	8.0 X 1.00	1099	-	-	
	8.0 X 1.25	1047	-	-	

* All dies are in M2 Steel, we can quote for M35 Steel on request.

* Gun nose dies can be offered on request.

MOQ Matrix	
OD	QTY
16X5	20
20X5	20
20X7	20
25X9	10
30X11	10
38X10	10
38X14	10

Terms and conditions

1. This price list supercedes all our previous price lists.
2. Prices are exclusive of GST rate.
3. The prices quoted in this price list are the maximum retail prices and Dealers / Stockist are free to sell goods at prices lower than the prices fixed by the company."
4. Prices are subject to revision without prior notice.
5. For LH Thread - 35% add to std. price.
6. All legal proceeding are subjected to Mumbai jurisdiction.



High Performance Cutting Tools

HEAD OFFICE

Forbes & Company Limited

Forbes Building, Charanjit Rai Marg, Fort, Mumbai 400 001 | **Telephone:** +91 (0) 22 61358958 | **Email:** sales@forbes.co.in

DIVISIONAL SALES OFFICES ADDRESS / PH. NO.

AHMEDABAD

1st Floor, Pranvijay Building,
Opp. Bata Showroom, Near Times Of India,
Ashram Road, Ahmedabad - 380009
Telephone: +91 (0) 79 26587769, 079-26580741
Fax: 079-26584618

BENGALURU

Classic Building, 3rd Floor, 24 Richmond Road
Bengaluru - 560025
Telephone: +91 (0) 80 43230129
Fax: +91 (0) 80 43230110

CHENNAI

Catholic Centre, 1st Floor,
108, Armenian Street,
Chennai - 600001
Telephone: +91 (0) 44 25389890/95,
Fax: +91 (0) 44 25360872

NEW DELHI

8F, 8th Floor, Vandana Building,
Tolstoy Marg, New Delhi -110001
Telephone: +91 (0) 11 43000120/107

KOLKATA

222, Circular Mansion, 1st Floor,
A.J.C. Bose Road,
Kolkata-700 017
Mobile: +91 (0) 70 91193999

MUMBAI

Forbes Building, Charanjit Rai Marg,
Fort, Mumbai 400 001
Telephone: +91 (0) 22 69402500

PUNE

H.No.1195/5, Bhosale Heights, 4th Floor,
Opp. Deendayal Hospital, Fergusson College Road,
Pune 411005
Telephone: +91 (0) 20 48509111

CHHATRAPATI SAMBHAJINAGAR

B 13, Waluj MIDC,
Chhatrapati Sambhajnagar - 431133
Telephone: +91 (0) 240 2553422